L Number	Hits	Search Text	DB	Time stamp
1	34632	((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or	USPAT; US-PGPUB; EPO; JPO;	2004/08/09 08:41
	1015	object-oriented or (object adj oriented))))	DERWENT; IBM_TDB	000 4/00/00 00 05
2	1615	(((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or	USPAT; US-PGPUB; EPO; JPO;	2004/08/09 08:35
		ORDBMS or object-oriented or (object adj oriented))))) and class and instantiat\$4	DERWENT; IBM_TDB	
3	467	((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 08:38
4	212	class and instantiat\$4) and 707/\$.ccls(((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and class and instantiat\$4) and 707/\$.ccls.) and ((datastore or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:36
		(data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) same (class or instantiat\$4)		
5	135	(((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 08:37
		class and instantiat\$4) and 707/\$.ccls.) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) with (class or instantiat\$4)	IBM_TDB	
6	675	((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) with (class or instantiat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:38
7	245	((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) with (class or instantiat\$4)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:38
8	80	((((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented))))) and ((datastore or (data adj store)) or (schema adj mapper) or (MIB or (managed adj information adj base)) or ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) with (class or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 08:43
9	291	instantiat\$4)) and 707/103\$.ccls. (datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04

10	38	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and 707/103\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:26
11	59	(datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) same ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/09 08:55
12	26	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) with code with (updat\$4 or modif\$6) same (database or (data adj base)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:02
13	17	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) with code with (updat\$4 or modif\$6) with (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:05
14	74	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) same code same (updat\$4 or modif\$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04
15	33870	(datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:04
16	355	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))) and ((sofware or application or program) same code same (updat\$4 or modif\$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/09 09:05
17	69	(((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base))) and ((sofware or application or program) same code same (updat\$4 or modif\$6) same (database or (data adj base))) and ((sofware or application or program) with code with (updat\$4 or modif\$6) with (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:22
18	6	(((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and 707/103\$.ccls.) and ((sofware or application or program) same code same (updat\$4 or modif\$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:23
19	74	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and ((sofware or application or program) same code same (updat\$4 or modif\$6) same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:25
20	16	((datastore or (data adj base))) ((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and programming near2 code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/09 09:24
21	244	((datastore or (data adj store) or (schema adj mapper) or MIB or (managed adj information adj base)) and ((map or mapp\$4) near4 object near5 (database or RDBMS or ORDBMS or object-oriented or (object adj oriented)))) and code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/09 09:24

22	81	((datastore or (data adj store) or (schema adj mapper) or MIB	USPAT;	2004/08/09 09:25
		or (managed adj information adj base)) and ((map or mapp\$4)	US-PGPUB;	
		near4 object near5 (database or RDBMS or ORDBMS or	EPO; JPO;	
		object-oriented or (object adj oriented)))) and code same	DERWENT;	
		(updat\$4 or modif\$6) same (database or (data adj base))	IBM_TDB	
23	222	((datastore or (data adj store) or (schema adj mapper) or MIB	USPAT;	2004/08/09 09:26
		or (managed adj information adj base)) and ((map or mapp\$4)	US-PGPUB;	
	,	near4 object near5 (database or RDBMS or ORDBMS or	EPO; JPO;	
		object-oriented or (object adj oriented)))) and (updat\$4 or	DERWENT;	
		modif\$6) same (database or (data adj base))	IBM_TDB	
24	27	(((datastore or (data adj store) or (schema adj mapper) or MIB	USPAT;	2004/08/09 09:26
		or (managed adj information adj base)) and ((map or mapp\$4)	US-PGPUB;	
		near4 object near5 (database or RDBMS or ORDBMS or	EPO; JPO;	
		object-oriented or (object adj oriented)))) and (updat\$4 or	DERWENT;	
		modif\$6) same (database or (data adj base))) and	IBM_TDB	
		707/103\$.ccls.		

BEST AVAILABLE COPY

10	38	((datastore or (data adj store) or (schema adj mapper) or MIB	USPAT;	2004/08/09 08:43
ļ		or (managed adj information adj base)) and ((map or mapp\$4)	US-PGPUB;	
		near4 object near5 (database or RDBMS or ORDBMS or	EPO; JPO;	
ļ		object-oriented or (object adj oriented)))) and 707/103\$.ccls.	DERWENT;	
44			IBM_TDB	
11	59	(datastore or (data adj store) or (schema adj mapper) or MIB	USPAT;	2004/08/09 08:55
		or (managed adj information adj base)) same ((map or	US-PGPUB;	
		mapp\$4) near4 object near5 (database or RDBMS or	EPO; JPO;	
	:	ORDBMS or object-oriented or (object adj oriented)))	DERWENT;	
40		(114 4 (14)) (1) (1) (1)	IBM_TDB	
12	26	((datastore or (data adj store) or (schema adj mapper) or MIB	USPAT;	2004/08/09 09:02
	l .	or (managed adj information adj base)) and ((map or mapp\$4)	US-PGPUB;	
		near4 object near5 (database or RDBMS or ORDBMS or	EPO; JPO;	
		object-oriented or (object adj oriented)))) and ((sofware or	DERWENT;	
		application or program) with code with (updat\$4 or modif\$6)	IBM_TDB	,
40	4-	same (database or (data adj base)))		
13	17	((datastore or (data adj store) or (schema adj mapper) or MIB	USPAT;	2004/08/09 09:05
ļ		or (managed adj information adj base)) and ((map or mapp\$4)	US-PGPUB;	
		near4 object near5 (database or RDBMS or ORDBMS or	EPO; JPO;	
		object-oriented or (object adj oriented)))) and ((sofware or	DERWENT;	
-		application or program) with code with (updat\$4 or modif\$6)	IBM_TDB	
14	74	with (database or (data adj base)))		
14	74	((datastore or (data adj store) or (schema adj mapper) or MIB	USPAT;	2004/08/09 09:04
		or (managed adj information adj base)) and ((map or mapp\$4)	US-PGPUB;	
		near4 object near5 (database or RDBMS or ORDBMS or	EPO; JPO;	
	ļ	object-oriented or (object adj oriented)))) and ((sofware or	DERWENT;	
•		application or program) same code same (updat\$4 or modif\$6)	IBM_TDB	
15	33870	same (database or (data adj base))) (datastore or (data adj store) or (schema adj mapper) or MIB	LICDAT.	2004/00/00 00 04
'3	33070	or (managed adj information adj base))	USPAT;	2004/08/09 09:04
		or (managed adjimormation adjibase))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
16	355	((datastore or (data adj store) or (schema adj mapper) or MIB	IBM_TDB	2004/09/00 00:05
'		or (managed adj information adj base))) and ((sofware or	USPAT; US-PGPUB;	2004/08/09 09:05
		application or program) same code same (updat\$4 or modif\$6)	EPO; JPO;	
		same (database or (data adj base)))	DERWENT;	
		Jame (valabase or (vala auj base)))	IBM_TDB	
17	69	(((datastore or (data adj store) or (schema adj mapper) or MIB	USPAT:	2004/08/09 09:05
''		or (managed adj information adj base))) and ((sofware or	US-PGPUB;	200 4 /00/08 08.03
		application or program) same code same (updat\$4 or modif\$6)	EPO; JPO;	
		same (database or (data adj base)))) and ((sofware or	DERWENT;	
		application or program) with code with (updat\$4 or modif\$6)	IBM_TDB	
		with (database or (data adj base)))	.5.W_100	
		(asiasas or (data adj bace///		

BEST AVAILABLE COPY